

```
2.4 000 000 000 00 00 00 000 0000.
6 \ 0 \ 0000 \ 0000 \ 00 \ 000 \ 00000.
□□□□ : 32 □□ 32 □□ 8cm
□□ □□ : 90-100min □□
□□ □□ : USB □□
□□ □□ : □ 6-7min
\Pi\Pi\Pi: 2.4
000 00 : 2 00 00
□□ □□ : □ 100m
□□□□ : 3.7V 500mA□ Lipo □□ □□□
□□ : □□ □□, RC □□□□□
___ : ___ ___ FPV
00 00 : 000 00
00:000,0000
00 00 : 2.4GHz
□□: 4.5 □□
\square \square : \square \square \ 2 \ (\square \square \ \square \square \square)
□□□ □□ : □ 100m
00 00 : 000 000
1 🛮 🖸 🖂 🖂 🖂 ,
1 \sqcap \sqcap \sqcap \sqcap
1, □□□ X
1 🛮 🛳 🖂 🖂
2 × 🔲 🔲,
1, 000 00000 X
X USB \sqcap \sqcap \sqcap 1 \sqcap,
1 \square \square \square \square,
4 × □□□□ □□,
2 \times \Pi\Pi\Pi\Pi,
```

 $1 \bigcirc \bigcirc \bigcirc \bigcirc$













Bright night light





01

Totally enclosed motors design with good performance of anti-crashing and cooling.



04

Professional bearer bar is helpful to keep it from destroy. Propeller protectors can protect propellers even the copter from crashing to the hard thing with flexible material.

High quality material with high flexibility, heat resistance and abrasion resistance.





05

Balance charger ensures a longer life of battery.



Transmitter

4 x 1.5V AA Battery (Not Included)

