□□□□□

□□ □ / •, □□□ □□, / □□ 3D □□□□ □□□ □□□ / □□□ □□,
• □□□ □ □□ □□,
• 2.0MP HD □□□□ □□
• □□□□ / CF □□,
• □□ □□ □□ □□
• □□ □□□□ □□□□ □□ □□.
• LED □□□□, □□ □□ □□ □□□□□.
• 2.4 □□□ □□□ □ 80 □□ □□ □□□ □□

□□□

□□ : □□
• □□□ : 2.4
• □□□ 6 □ □□□
• □□□ □□ : 2.0MP
• □□ □□ : 70 □ □□
• □□ □□ : □ 6mins
• □□ □□ : □ 80m
• □□□□ □□□ : 3.7V 600mA□ Lipo □□□
• □□ □□□ : 4 × 1.5V AA □□□ (□□□□ □□)
• □□ : □ / □□, □□□ □□, □□ / □□□, □□□□ □□□ □□ / □□ □□, □□ □ A /; □, □□□□ □□, □□ □□, □□ □□, □□□□ REAL-TIME□
• □□ : □□ □□
• □□ □ □□□ 6 □ □□□
• □□ : □□
• □□ : □□ 14 □
• □□ □□ : 2.4GHz□ □□ □□ □□
• □□ : 4 □□
• □□□ □□ □□ : □ 100m
• □□ □ □□ □□ : 0.985 kg
• □□ □□ (L x □ x □□) : (□□ □□□) 31.60 X 31.60 X 10.60 cm / 12.44 X 12.44 X 4.17 □□
• □□ □□ (L x □ x □□) : 38.00 X 21.50 X 13.00 cm / 14.96 X 8.46 X 5.12 □□

□□□ □□

• 1 * RC □□ □□(2.0MP □□□□ □□)
• 1 * □□□
• 1 * USB □□□
• 1 * 3.7V 600MAH □□ □ □□□
• 1 * □□ □□ □□□□
• 1 * □□□ □□□□

X-PREDATORS

GYRO REMOTE
CONTROL FOUR AXIS AIRCRAFT

THIS TIME, MEET YOUR DREAM

fixed altitude flight

5.8GReal-time transmission

Photography shooting

Six-axis gyroscope

one press automatic return

Headless mode

360 degree roll-over

LED navigation lights

X-PREDATORS
GYRO REMOTE
CONTROL FOUR AXIS AIRCRAFT
BUILT HIGH–SET
•fixed altitude flight
SPEED
TURN
A KEY RETURN
LIGHT
START STOP
HEADLESS MODE
PHOTO
VIDEO
2.4 GHZ
HIGH ABILIY CONTROL

ONE PRESS AUTOMATIC RETURN

360o precise orientation

Built aircraft return function which records the return point during take-off, by a key return button, easy to achieve automatic return and landing aircraft.



High-capacity lithium battery
Lasting life

HEADLESS MODE FUNCTION

Automatic Identification direction

After the latest remote control technology, switching to a headless mode, automatic identification of aircraft in which the direction of the remote control, aircraft fly further away and can easily recall

SIX-AXIS GYRO CONTROL SYSTEM

2-megapixel high-definition camera

When Built six-axis gyroscope flight system to ensure flight, the aircraft can always maintain balance and stability, to provide strong aerial congenital conditions

SEIKO MAGNETIC MOTOR

Provide a strong motivation flight

With super magnetic motor, the use of high-efficiency energy conversion devices more energy efficient than conventional motors, sensitive and stable, to provide a strong impetus for the aircraft flight

X-PREDATORS

GYRO REMOTE
CONTROL FOUR AXIS AIRCRAFT

MOTOR RENDERINGS
AND THERE ARE DIFFERENCES IN KIND

LED LIGHTS, NIGHT AMBILIGHT
Provide a strong motivation flight
Fuselage mounted bright LED
navigation lights at night with the way, add more fun flying

2.4GHZ REMOTE CONTROL

Fast response speed

Fast response speed, ultra-long distance remote control, super anti-jamming, less power consumption, more aircraft and aircraft which can take off without disturbing each other, multiplayer competition, fun

0.01 SECONDS REACTION SPEED
MORE STABLE

50 METERS REMOTE CONTROL DISTANCE
WIND RESISTANCE

STRONG ANTI-INTERFERENCE
EARTHQUAK SCREEN

TIPS
NEED 4 "AA" BATTERIES



2.4 GHZ