

□□

- □□□70KM / H□□□□□□
- □□□□/□□□□/□□

□□□□

□□□2.4GHz□  
 □□□□cm□□24.5 \* 17.5 \* 9.4CM  
 □□□□cm□□46.2 \* 25 \* 24.5CM  
 □□□□cm□□52.5 \* 49.5 \* 76.5CM

□□□□□

PCS / CTN□6PCS / CNT

□□/ N.W KG□13.49 / 11.28KG

□□□□□6□□

□□□□□100M

□□□□□7.4V / 1500MAHLi□□□□□□□□□□

□□□□□4 \* 1.5V“AA”□□□□□□

Chargine□□□180□□

□□□□□

□□□□/□□□□/□□

□□□70KM / H

840pcs / 20□□□□□□

1746pcs / 40□□□□□□

2046pcs / 40'HQ

□□□□

1× □□

1 X□□

1 X□□

1×□□□

1×□□

1×□□

1×□□





## Overview



REMOTE CONTROL



TRANSVERTER



WITHDRAWAL TOOL



SPECIFICATION



CHARGER



POWERFUL MOKTOR

MAXIMUM SPEED 70KM/H





## INDEPENDENT SUSPENSION

EFFECTIVELY REDUCE THE VIBRATION  
OF CAR BODY FRICTION





## RUBBER WHEELS

INCREASE THE THICKENING OF THE RUBBER WHEEL  
MORE SLIPPERY WEAR-RESISTING





## Specification

