亮点

1.采用3D翻转“N”卷，可以让你的飞行更搞笑。
2.Adopted 5.8G数据transimmissiom系统和内置2.31英寸液晶屏，让您从FPV摄像头观看实况高清视图，并随时了解什么是在空气中发生的事情。
抗interference.even多于一个四轴通过3.2.4G技术正在飞行的同时它们不会互相干扰。
4.6轴陀螺仪四旋翼机飞行，稳定性强，可以方便地实现各种航班起降架次，更强的抗风能力，更容易控制。
5.具有LED补光灯，成为夜空中更加安全。

产品规格

颜色：黑色
频率：2.4GHz的
陀螺仪：6轴陀螺仪
摄像头像素：0.3MP
充电时间：约60分钟
飞行时间：约4-5mins
控制距离：20m左右
直升机电池：3.7V380毫安锂聚合物电池
发射器电池：3.7V 600mAh的
四轴飞行器尺寸：13.7 * 13.7 *3.5厘米
包装尺寸：37 * 12.2 *33厘米
功能：上/下，左/右，前进/后退，向左飞行/右飞行，光，翻转和放大器;卷，FPV实时
类型：四轴飞行器
内置陀螺仪：6轴陀螺仪
年龄：以上14岁
远程控制：2.4GHz无线遥控器
通道：4-频道

包装内容

1个四轴飞行器
1个发射器
1个电池
1个USB充电器
1个手册

FPV HD CAMERA

When camera meets drone, a walking movie is switched on. The flying drone takes the camera to capture the view that the camera never saw on the ground: the 5.8G real-time images transmission system offers you much more convenient aerial experience.

5.8G FPV HD REAL-TIME IMAGES TRANSMISSION

First-person view (FPV) is a great innovation of the high-tech world. It is a method used to control a radio-controlled vehicle from the driver or pilot's view point. Operator is able to enjoy the HD images from a first-person perspective via an onboard camera, which creates much more amazing real-flying experience.

3D FLIPS & ROLL

Pilot your aircraft up to 3 meters and you can choose normal roll mode or one-key roll mode to perform the roll action.

One-button roll mode: press the one-key roll button, your aircraft will roll forward.

Normal roll mode: Push the throttle control stick to the top, and then push the steering control stick to the top/bottom/left-most/right-most and return it to the middle position right away, your aircraft will roll as per your given signal.

(Tips: The second roll should wait 2 seconds after the first roll and the throttle should be pushed up to the top again.)

6-Axis GYRO

The latest 6-axis flight control system, permits super stable flight.

2.4GHz Radio control technology

The 2.4GHz radio technology has become the mainstream in radio control domain. Its transmission distance is up to 10 meters, this is a significant advantage over the 27MHz radio technology. Nowadays, low energy consumption and microminiaturization have become the active demand of the radio communication product; 2.4GHz radio technology satisfied this requirement very well.

The transmission speed of radio wave isabout300000 km/s.



Rapid response speed

2.4GHz is a special frequency range, it changed to the familiar frequency as we know,it equals to 2400MHz.Hence, it is also named as high frequency. Generally speaking, high frequency does not cause signal interference. The frequency range of 2.4GHz comes to fruition firstly in signal anti-interference. This year, signal interference occurs from time to time in the remote control playing gathering. Someone even doubt that high-voltage induction coil that caused by the spark of the car engine may bring signal interference.But, do not worry. The 2.4GHz does very well in this aspect. Signal interference will not occur even though multiple helicopters are played at the same time.

Powerful anti-interference capability

Take 72MHz for example, if using the Twentieth channel (72.190MHz), then, the transmitter use the exact 72.190MHz for transmitting signal only, and the receiver is also received the signal which is sending from 72.190MHz. In case that this channel is encounter obstacle, the radio communication will be presented. But the 2.4GHz system uses the high frequency range for sending signal, signal interference problem will not occur. Let' s take the FHSS frequency hopping pattern that Futaba 2.4GHz system adopts as an example. It takes the advantage of spread hopping way when sending signal. Imagined that there is a 16 lane highway and the 2.4GHz signal keeps moving from lane to lane, thus, the chance of signal interference is very small.



13.7cm
13.7cm

5.8G FPV 2.31-INCH LCD SCREEN