Highlights

- 1.A rise in key: press this button, the aircraft automatically rise to set a good height, and has been hovering at this height.
- 2.Anti-jamming protection: When using propeller encounter obstacles will automatically stop turning, and better protect the motor and prolong life.
- 3. Airframe with nice durability.
- 4. With Headless Mode/ no need to adjust the position of aircraft before flying
- 5. It has 6-axis gyro which can have more stable flying and be easy to control
- 6.4 Channel which can do ascend, descend, forward, backward, left sideward fly,
- 7.right sideward fly and rolling 360°
- 8. One key to return function makes it easily to find the way home
- 9. Lightweight airframe with nice durability
- 10. With LED light, possible for night fly
- 11. Altitude hold mode by one position

Specifications

Item name: RC Quadcopter

Material: Electronic components, ABS/PS

Frequency: 2.4G Channel: 6CH Gyro: 6 axis

Flight Duration: About 10 Minutes

Remote Control Distance: About 150 meters

Charging Time: 180 mins

Battery For Quadcopter: 7.4V 2000mAh (included)
Battery For Transmiter: 4x AAA Batteries (not included)

Product Size: 53x 53x 20cm

Night Flight: Yes

Function: Up/Down,Forward/Backward ,Left/Right,Leftward flight/Rightward flight,Flips&rolls,Light

controlled, Camera, Altitude Hold

Package Content

- 1 x RC Drone
- 1 x 5.0MP Camera
- 1 x USB Cable
- 1 x 7.4V 2000MAH 20C Li-Po Battery
- 4 x Spare Main Blade
- 1 x Screwdriver
- 1 x Controller







Normal flight, inverted press keys to make flying more interesting, while achieving positive and negative switching flight. And do continuous reverse tumbling action.







High and low speed mode, more choices.

Low-speed mode: for beginners to practice flying.

High-speed mode: for Skilled in outdoor weathering state experience aerobatics.



Remote Control Power default speed gear position M, press the throttle lever, remote controller dididi. three times, into high gear represents H; Then press the throttle lever, remote controller dicry, that enter the low-speed gear;

Then press the throttle lever, remote controller di.di. twice, that enter the medium-speed position M



STREET

Packaging and dimensions

OPTEMAL DI WOW THREE MAJOR RRANDS PROTECTION AUTHORITY GLOBAL REMOTE CONTROL PLYING TOY







OPTIMAL OLWOW THREE MAJOR BRANDS PROTECTION AUTHORITY OLOBAL REMOTE CONTROL RUNNOTOY.





